



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 5826

SERIAL NUMBER 10/650,065	FILING DATE 08/26/2003 RULE	CLASS 175	GROUP ART UNIT 3672	ATTORNEY DOCKET NO. 2002-IP-007051U1
-----------------------------	---------------------------------------	--------------	------------------------	--------------------------------------------

APPLICANTS
Philip D. Nguyen, Duncan, OK;

** CONTINUING DATA ***** *None* *Yes*

** FOREIGN APPLICATIONS ***** *None* *Yes*

IF REQUIRED, FOREIGN FILING LICENSE GRANTED
** 11/15/2003

Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no	STATE OR COUNTRY OK	SHEETS DRAWING 0	TOTAL CLAIMS 38	INDEPENDENT CLAIMS 2
35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance <i>None</i>	Verified and Acknowledged	Examiner's Signature <i>None</i>	Initials <i>None</i>	

ADDRESS
Robert A. Kent
Halliburton Energy Services
2600 South 2nd Street
Duncan , OK
73536

TITLE
Methods of drilling and consolidating subterranean formation particulate

FILING FEE RECEIVED 1074	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____
------------------------------------	-------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------